


Outdoor Combo Antenna Ideal for Vehicle

A-LTE_WLAN_G-3_2-RSM-2M

- 5 RF cables, LTE MIMO, Wi-Fi MIMO, GPS&GLONASS
- 3dBi gain for LTE and 2dBi gain for 2.4G/5G Wi-Fi
- Suitable for in-vehicle, roadside box and short range coverage WLAN to LTE communication environment
- 5 x 2 meter cables in RP SMA / SMA male connector
- Outdoor IP67 waterproof and -40°~85°C wide temperature
- 110x110x80mm slim size



Dimensions









GPS & GLONASS Antenna	
Frequency Range	1575.42~1610MHz
Polarization	RHCP
Impedance	50Ω
Dimension	25*25*6mm
Gain	28±2dB
Noise Figure	≤1.5dB
Supply Voltage	3~5V DC
Current Consumption	<15mA
V.S.W.R	<2.0
LTE Antenna MIMO	
Frequency Range	698~960MHz/1710~2690MHz
V.S.W.R	<3.0
Polarization	Linear
Gain	3dBi
Impedance	50Ω
WIFI Antenna MIMO	
Frequency Range	2400~2483.5MHz/4900~5825MHz
V.S.W.R	<2.5
Polarization	Linear
Gain	2dBi
Impedance	50Ω
Mechanical	
Cable	RG174
Connector	SMA
Material	ABS
Mounting Method	Screw
Environmental	
Operating Temperature	-40°C~+85°C
Relative Humidity	Up to 95%
Ingress Protection	IP67 (exclude cable outlet)
Vibration	10 to 55Hz with 1.5mm amplitude 2hours
Environmentally Friendly	ROHS Compliant



GPS Antenna



LTE Antenna




XY PLANE

- 测试频率: 700
- 测试频率: 824
- 测试频率: 868
- 测试频率: 960
- 测试频率: 1710
- 测试频率: 1850
- 测试频率: 1990
- 测试频率: 2170
- 测试频率: 2690




LTE Antenna



XZ PLANE

- 测试频率: 700
- 测试频率: 824
- 测试频率: 868
- 测试频率: 960
- 测试频率: 1710
- 测试频率: 1850
- 测试频率: 1990
- 测试频率: 2170
- 测试频率: 2690





YZ PLANE

- 测试频率: 700
- 测试频率: 824
- 测试频率: 868
- 测试频率: 960
- 测试频率: 1710
- 测试频率: 1850
- 测试频率: 1990
- 测试频率: 2170
- 测试频率: 2690



Wi-Fi Antenna





Wi-Fi Antenna

